Megapoxy

Accelerator

Accelerator for Megapoxy Products

Safety Data Sheet

Hazardous, Non-Dangerous Goods

1. MATERIAL AND SUPPLY COMPANY IDENTIFICATION		
PRODUCT NAME	Megapoxy Accelerator	
RECOMMENDED USE	Accelerator for Megapoxy products.	
SUPPLIER	Vivacity Engineering Pty Ltd.	
ABN	78 305 545 664	
STREET ADDRESS	3 Sefton Road Thornleigh NSW 2120 Australia	
TELEPHONE	+61 2 9875 3044	
EMAIL	info@megapoxy.com	
EMERGENCY TELEPHONE NUMBER	+61 2 9875 3044 Australia: 13 11 26 (Poisons Information Centre) New Zealand: 0800 764 766 (NZ Poisons & Hazardous Chemicals Centre)	

2. HAZARDS IDENTIFICATION

This material is hazardous according to health criteria of Safe Work Australia GHS 7.



SIGNAL WORD	Warning				
HAZARD CLASSIFICATIONS	Skin Corrosion/Irr	ritation - Category 2			
CLASSIFICATIONS	Eye Damage/Irritation - Category 2A				
	Specific Target Or	gan Toxicity (Single Exposure) - Category 3 Respiratory Tract Irritation			
HAZARD STATEMENTS	H315	Causes skin irritation.			
	H319	Causes serious eye irritation.			
	H335	May cause respiratory irritation.			

3 Sefton Road, Thornleigh NSW 2120 Australia P: +61 (02) 9875 3044 E: info@megapoxy.com | megapoxy.com



VIVACITY ENGINEERING PTY LTD | ABN: 78 305 545 664



Safety Data Sheet

PREVENTION	P261	Avoid breathing dust, fume, gas, mist, vapours or spray.		
PRECAUTIONARY STATEMENTS	P264	Wash hands, face and all exposed skin thoroughly after handling.		
OTAT EMERTO	P271	Use only outdoors or in a well-ventilated area.		
	P280	Wear protective clothing, gloves, eye/face protection and suitable respirator.		
RESPONSE	P302+P352	IF ON SKIN: Wash with plenty of water.		
PRECAUTIONARY STATEMENTS	P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.		
STATEMENTS	P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.		
	P312	Call a POISON CENTER/doctor if you feel unwell.		
	P321	Specific treatment (see supplemental first aid instruction on this on product label).		
	P332+P313	If skin irritation occurs: Get medical advice/attention.		
	P337+P313	If eye irritation persists: Get medical advice/attention.		
	P362	Take off contaminated clothing.		
STORAGE	P403+P233	Store in a well-ventilated place. Keep container tightly closed.		
PRECAUTIONARY STATEMENT	P405	Store locked up.		
DISPOSAL PRECAUTIONARY STATEMENT	P501	Dispose of contents/container in accordance with local, regional, national and international regulations.		
POISON SCHEDULE	S5. Caution			
DANGEROUS GOOD CLASSIFICATION	Not classified as Dangerous Goods by the criteria of the "Australian Code for the Transport of Dangerous Goods by Road & Rail" and the "New Zealand NZS5433: Transport of Dangerous Goods on Land".			
DANGEROUS GOODS CLASS	Classified as a C2 (COMBUSTIBLE LIQUID) for the purpose of storage and handling, in accordance with the requirements of AS 1940. Refer to State Regulations for storage and transport requirements.			

3. COMPOSITION INFORMA	TION
------------------------	------

CHEMICAL ENTITY	CAS NO	PROPORTION
Diethanolamine	111-42-2	10-29 %
Triethanolamine	102-71-6	>60 %
Ingredients determined to be Non-Hazardous		Balance
		100%









Safety Data Sheet

4. FIRST AID MEASURES

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia 131 126, New Zealand 0800 764 766).

INHALATION	Remove victim from exposure - avoid becoming a casualty. Remove contaminated clothing and loosen remaining clothing. Allow patient to assume most comfortable position and keep warm. Keep at rest until fully recovered. Seek medical advice if effects persist.
SKIN CONTACT	If skin or hair contact occurs, immediately remove contaminated clothing and flush skin and hair with running water. Continue flushing with water until advised to stop by the Poisons Information Centre or a Doctor; or for 15 minutes and transport to Doctor or Hospital.
EYE CONTACT	If in eyes, hold eyelids apart and flush the eyes continuously with running water. Continue flushing until advised to stop by the Poisons Information Centre or a Doctor; or for at least 15 minutes and transport to Doctor or Hospital.
INGESTION	Rinse mouth with water. If swallowed, do NOT induce vomiting. Give a glass of water to drink. Never give anything by the mouth to an unconscious patient. If vomiting occurs give further water. Seek medical advice.
PPE FOR FIRST AIDERS	Wear safety shoes, gloves, safety glasses. Available information suggests that gloves made from nitrile rubber should be suitable for intermittent contact. However, due to variations in glove construction and local conditions, the user should make a final assessment. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storing or re-using.
NOTES TO PHYSICIAN	Treat symptomatically.

5. FIRE FIGHTING MEASURES		
HAZCHEM CODE	Not applicable.	
SUITABLE EXTINGUISHING MEDIA	If material is involved in a fire use water fog (or if unavailable fine water spray), alcohol resistant foam, standard foam, dry agent (carbon dioxide, dry chemical powder).	
SPECIFIC HAZARDS	Combustible liquid.	
FIRE FIGHTING FURTHER ADVICE	On burning or decomposing may emit toxic fumes. Fire fighters to wear self-contained breathing apparatus and suitable protective clothing if risk of exposure to vapour or products of combustion or decomposition.	







Safety Data Sheet

6. ACCIDENTAL RELEASE MEASURES			
SMALL SPILLS	Wear protective equipment to prevent skin and eye contamination. Avoid inhalation of vapours or dust. Wipe up with absorbent (clean rag or paper towels). Collect and seal in properly labelled containers or drums for disposal.		
LARGE SPILLS	Clear area of all unprotected personnel. Slippery when spilt. Avoid accidents, clean up immediately. Wear protective equipment to prevent skin and eye contamination and the inhalation of vapours. Work up wind or increase ventilation. Contain - prevent run off into drains and waterways. Use absorbent (soil, sand or other inert material). Collect and seal in properly labelled containers or drums for disposal. If contamination of crops, sewers or waterways has occurred advise local emergency services.		
DANGEROUS GOODS - INITIAL EMERGENCY RESPONSE GUIDE NO:	Not applicable.		

7. HANDLING AND STORAGE		
HANDLING	Avoid eye contact and skin contact. Avoid inhalation of vapour, mist or aerosols.	
STORAGE	Store in a cool, dry, well-ventilated place and out of direct sunlight. Store away from foodstuffs. Store away from incompatible materials described in Section 10. Store away from sources of heat and/or ignition. Store locked up. Keep container standing upright. Keep containers closed when not in use - check regularly for leaks.	
	Classified as a C2 (COMBUSTIBLE LIQUID) for the purpose of storage and handling, in accordance with the requirements of AS 1940. Refer to State Regulations for storage and transport requirements.	
	This material is a Scheduled Poison Schedule 5 (Caution) and must be stored, maintained and used in accordance with the relevant regulations.	







Safety Data Sheet

8. EXPOSURE CONTROLS	/ PERSONAL PROTECTION							
NATIONAL OCCUPATIONAL		ppm	TWA mg/m³	ppm	STEL mg/m³	NOTICES		
EXPOSURE LIMITS	Diethanolamine	3	13	-	-	-		
	Triethanolamine	-	5	-	-	Sen		
	As published by Safe Work Australia.							
	TWA - The time-weighted average airborne concer day working week over an entire working life.	itration o	ver an eigh	t-hour w	orking day	,, for a five-		
	The state of the s	STEL (Short Term Exposure Limit) - the average airborne concentration over a 15 minute period which should not be exceeded at any time during a normal eight-hour workday.						
	'Sen' Notice - sensitiser. The substance can cause a specific immune response in some people. An affected individual may subsequently react to exposure to minute levels of that substance.							
	These Exposure Standards are guides to be used in atmospheric contamination should be kept to as lo should not be used as fine dividing lines between some they are not a measure of relative toxicity.	w a level	as is worka	ble. The	se exposur	e standards		
	If the directions for use on the product label are followed, exposure of individuals using the product should not exceed the above standard. The standard was created for workers who are routinely, potentially exposed during product manufacture.							
BIOLOGICAL LIMIT VALUES	As per the "National Model Regulations for the Cor Work Australia)" the ingredients in this material do					es (Safe		
ENGINEERING MEASURES	Ensure ventilation is adequate to maintain air cond in well ventilated areas. Use with local exhaust ven Vapour heavier than air - prevent concentration in where vapour may have collected.	ilation or	while wear	ing app	ropriate re	spirator.		
PERSONAL	SAFETY SHOES, GLOVES, SAFETY GLASSES.							
PROTECTION EQUIPMENT	Personal protective equipment (PPE) must be suitable for the nature of the work and any hazard associated with the work as identified by the risk assessment conducted.							
	Wear safety shoes, gloves, safety glasses. Available rubber should be suitable for intermittent contact. and local conditions, the user should make a final a eating, drinking or using the toilet. Wash contaminable before storing or re-using.	However, ssessme	due to vari nt. Always v	iations i vash ha	n glove cor nds before	nstruction smoking,		
HYGIENE MEASURES	Keep away from food, drink and animal feeding stu hands prior to eating, drinking or smoking. Avoid contact. Avoid inhalation of dust. Ensure that eyew workstation location.	ontact wi	th clothing.	Avoid e	ye contact	and skin		









Safety Data Sheet

9. PHYSICAL AND CHEMICAL PROPERTIES

Form:	Viscous Liquid
Colour:	Clear and colourless hygroscopic liquid
Odour:	Ammoniacal
Solubility:	>1000 g/L @ 20 Deg C
Solubility in water:	Yes
Specific Gravity:	1.12 @ 25 Deg C
Relative Vapour Density (air=1):	5
Vapour Pressure (20 °C):	<1 kPa
Flash Point (°C):	179 Deg C
Autoignition Temperature (°C):	>200 Deg C
Boiling Point/Range (°C):	335 Deg C
Evaporation Rate (n-Butyl acetate=1):	0.01
Total VOC (g/Litre):	Nil
% Volatile by Volume:	Nil

(Typical values only - consult specification sheet) N Av = Not available, N App = Not applicable.

10. STABILITY AND REACTIVITY	
CHEMICAL STABILITY	This material is thermally stable when stored and used as directed.
CONDITIONS TO AVOID	Elevated temperatures and sources of ignition.
INCOMPATIBLE MATERIALS	Oxidising agents.
HAZARDOUS DECOMPOSITION PRODUCTS	Oxides of carbon and nitrogen, smoke and other toxic fumes.
HAZARDOUS REACTIONS	No known hazardous reactions.









Safety Data Sheet

11. TOXICOLOGICAL INFORMATION

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

	JT				

Inhalation

Material may be an irritant to mucous membranes and respiratory tract.

Skin contact

Contact with skin will result in irritation.

Ingestion

Swallowing can result in nausea, vomiting and irritation of the gastrointestinal tract.

Eye contact

An eye irritant.

ACUTE TOXICITY

Inhalation

This material has been classified as not hazardous for acute inhalation exposure. Acute toxicity estimate (based on ingredients): $LC_{50} > 20.0 \text{ mg/L}$ for vapours or $LC_{50} > 5.0 \text{ mg/L}$ for dust and mist.

Skin contact

This material has been classified as not hazardous for acute dermal exposure. Acute toxicity estimate (based on ingredients): $LD_{50} > 2,000 \text{ mg/Kg}$ bw.

Ingestion

This material has been classified as not hazardous for acute ingestion exposure. Acute toxicity estimate (based on ingredients): $LD_{50} > 2,000 \text{ mg/Kg bw}$.

Corrosion/Irritancy

Eye: this material has been classified as a Category 2A Hazard (reversible effects to eyes). Skin: this material has been classified as a Category 2 Hazard (reversible effects to skin).

Sensitisation

Inhalation: this material has been classified as not a respiratory sensitiser.

Skin: this material has been classified as not a skin sensitiser.

Aspiration hazard

This material has been classified as not an aspiration hazard.

Specific target organ toxicity (single exposure)

This material has been classified as a Category 3 Hazard. Exposure via inhalation may result in respiratory irritation.

CHRONIC TOXICITY

Mutagenicity

This material has been classified as not a mutagen.

Carcinogenicity

This material has been classified as not a carcinogen.

Reproductive toxicity (including via lactation)

This material has been classified as not a reproductive toxicant.

Specific target organ toxicity (repeat exposure)

This material has been classified as not a specific hazard to target organs by repeat exposure.







Safety Data Sheet

12. ECOLOGICAL INFORMATION

Avoid contaminating waterways.

ACUTE AQUATIC HAZARD	This material has been classified as not hazardous for acute aquatic exposure. Acute toxicity estimate (based on ingredients): > 100 mg/L.				
LONG-TERM AQUATIC HAZARD	This material has been classified as not hazardous for chronic aquatic exposure. Non-rapidly or rapidly degradable substance for which there are adequate chronic toxicity data available OR in the absence of chronic toxicity data, Acute toxicity estimate (based on ingredients): >100 mg/L, where the substance is not rapidly degradable and/or BCF < 500 and/or log K _{ow} < 4.				
ECOTOXICITY	No information available.				
PERSISTENCE AND DEGRADABILITY	No information available.				
BIOACCUMULATIVE POTENTIAL	No information available.				
MOBILITY	No information available.				

13. DISPOSAL CONSIDERATIONS

Persons conducting disposal, recycling or reclamation activities should ensure that appropriate personal protection equipment is used, see "Section 8. Exposure Controls and Personal Protection" of this SDS.

If possible material and its container should be recycled. If material or container cannot be recycled, dispose in accordance with local, regional, national and international Regulations.

14. TRANSPORT INFORMATION					
ROAD AND RAIL TRANSPORT	Not classified as Dangerous Goods by the criteria of the "Australian Code for the Transport of Dangerous Goods by Road & Rail" and the "New Zealand NZS5433: Transport of Dangerous Goods on Land".				
MARINE TRANSPORT	Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.				
AIR TRANSPORT	Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.				









Safety Data Sheet

15. REGULATORY INFORMATION

This material is not subject to the following international agreements:

Montreal Protocol (Ozone depleting substances)

The Stockholm Convention (Persistent Organic Pollutants)

The Rotterdam Convention (Prior Informed Consent)

International Convention for the Prevention of Pollution from Ships (MARPOL)

This material/constituent(s) is covered by the following requirements:

The Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) established under the Therapeutic Goods Act (Commonwealth): S5. Caution.

AICIS Status: Formulations where all components are AICS listed.

16. OTHER INFORMATION

Reason for issue: Revised

This information was prepared in good faith from the best information available at the time of issue. It is based on the present level of research and to this extent we believe it is accurate. However, no guarantee of accuracy is made or implied and since conditions of use are beyond our control, all information relevant to usage is offered without warranty. The manufacturer will not be held responsible for any unauthorised use of this information or for any modified or altered versions.

If you are an employer it is your duty to tell your employees, and any others that may be affected, of any hazards described in this sheet and of any precautions that should be taken.

Safety Data Sheets are updated frequently. Please ensure you have a current copy.

